

Example/voorbeeld 130-160 = length/lengte 130mm springrate/veer constante 160N/mm of Kg/cm

Diameter 46 Diameter 51 Diameter 54	Price per spring Excl. VAT Excl. Works	Prijs per veer excl. BTW af van fabriek
Length < 330 mm	€ 50,--	
Length 330-450 mm	€ 60,--	
Length 450-490 mm	€ 80,--	
Length 500 >	€ 90,--	
Custom build spring	€ 175,--	

INNER DIAMETER SPRING/ BINNEN DIAMETER VEER

46 mm	51 mm	54 mm
80-6	120-62,5	240-45(51/56)
	120-71,4	240-50(51/56)
150-40	120-80,4	240-55(51/56)
150-53	120-89,3	240-100
	120-98,2	240-110
180-40	120-107	240-120
180-50	120-116	240-130
180-60	120-125	
180-90	120-133,9	
180-100	120-142,8	
180-110	120-151,8	
180-120	120-161	
180-130		
180-140	130-60	
180-150	130-70	
180-160	130-80	
	130-85	
200-24	130-90	
200-40	130-100	
200-50	130-110	
200-85	130-140	
	130-150	
220-65	130-160	
	130-170	
	130-180	
	130-190	
	150-140	
	150-180	
	150-200	
	220-70	
	220-80	
	220-100	

Example/voorbeeld 130-160 = length/lengthe 130mm springrate/veer constante 160N/mm of Kg/cm

Diameter 60	Price per spring Excl. VAT Excl. Works	Prijs per veer excl. BTW af van fabriek
Length < 330 mm	€ 50,--	
Length 330-450 mm	€ 60,--	
Length 450-490 mm	€ 80,--	
Length 500 >	€ 90,--	
Custom build spring	€ 175,--	

INNER DIAMETER SPRING/ BINNEN DIAMETER VEER						
60 mm						
70-40	120-50	140-86	150-210	200-90	250-50	330-50
70-50	120-60	140-88	150-220		250-55	330-55
70-65	120-70	140-90	150-240	220-20	250-60	330-60
	120-80	140-95	150-250	220-22	250-65	330-65
80-15	120-90	140-100	150-260	220-25	250-70	330-70
80-20	120-140	140-110		220-30	250-80	330-75
80-80	120-160	140-120	160-30	220-35	250-90	330-80
80-90	120-190	140-130	160-40	220-40		
80-100	120-200	140-140		220-45	270-35	360-70
80-115	120-240	140-150	180-20	220-47	270-40	
80-120	120-260	140-160	180-25	220-50		375-55
80-125	120-280	140-170	180-30	220-55	280-30	
	120-290	140-180	180-40	220-60	280-45	400-16
100-3	120-300	140-190	180-50	220-70	280-55	400-18
100-5	120-310	140-200	180-60	220-80		400-20
100-20	120-320	140-220	180-70	220-120	290-21	400-22
100-70		140-240	180-80			400-24
100-80	130-70	140-260	180-90	230-25	300-15	400-26
100-85	130-80	140-280	180-100	230-30	300-20	400-28
100-90	130-90		180-110	230-40	300-20/40	400-30
100-95	130-100	150-50	180-120	230-45	300-25	400-32
100-100	130-110	150-60	180-130	230-55	300-30	400-35
100-105	130-130	150-65	180-140	230-60	300-35	400-38
100-110	130-140	150-70	180-160	230-70	300-40	400-40
100-120	130-150	150-80			300-45	400-42
100-125	130-160	150-90	200-17	240-50	300-60	400-44
100-130	130-170	150-100	200-20	240-60	300-70	400-55
100-135	130-180	150-110	200-25	240-70	300-80	
100-140	130-190	150-120	200-30	240-75		440-55
100-150	130-200	150-130	200-35		330-12	
100-160	130-220	150-140	200-40	250-25	330-15	
100-170	130-240	150-150	200-45	250-30	330-20	
100-180		150-160	200-50	250-35	330-25	
	140-75	150-170	200-55	250-40	330-30	
110-260	140-80	150-180	200-60	250-42	330-35	
110-270	140-82	150-190	200-70	250-45	330-40	
	140-84	150-200	200-80		330-45	

Example/voorbeeld 130-160 = length/lengte 130mm springrate/veer constante 160N/mm of Kg/cm

Diameter 70	Price per spring Excl. VAT Excl. Works	excl. BTW af van fabriek
Diameter 80		
Length < 330 mm	€ 70,--	
Length 330-450 mm	€ 80,--	
Length 450-490 mm	€ 95,--	
Length 500 >	€ 110,--	
Custom build spring	€ 175,--	

INNER DIAMETER SPRING/ BINNEN DIAMETER VEER

	70 mm		80mm
80-20	180-80	280-50	120-50
80-30	180-90	280-60	120-60
	180-100	280-70	120-70
90-22	180-110		
	180-120	300-25	200-20
110-20		300-27	200-30
	200-28	300-30	200-40
120-50	200-30	300-35	200-50
120-60	200-40		200-60
120-70	200-50	330-30	200-70
	200-55	330-50	
130-90	200-60		280-50
130-100	200-70	350-28	280-60
130-110	200-80	350-30	280-70
130-120	200-90		
1330-130	200-130		330-30
130-140			330-35
130-160	220-38		330-40
	220-40		330-45
140-170	220-45		
	220-50		420-57
150-90	220-60		420-60
150-100	220-80		420-62
150-110	220-90		
150-120	220-100		440-66
150-130	220-110		
150-140			460-30
150-150	240-40		
150-160	240-45		500-20
150-170	240-50		500-25
150-180	240-60		500-30
150-190	240-70		500-35
	240-80		500-40
160-80	240-90		500-45
			500-50